

TABLE OF CONTENTS

<i>Introductory notice: Organization of the report</i>	7
<i>Executive summary</i>	13
CHAPTER A.PROJECT OBJECTIVE AND SCOPE	19
CHAPTER B.COMPONENT A: TESTING AND EVALUATION OF METHODS FOR ESTABLISHING THE DEGREE OF STICKINESS IN COTTON	29
B.1. EQUIPMENTS USED IN THIS PROJECT TO MEASURE STICKINESS.....	32
<i>B.1.1. Stickiness Cotton Thermodetector SCT</i>	32
<i>B.1.2. High Speed Stickiness Detector</i>	34
<i>B.1.3. High Performance Liquid Chromatography (HPLC):</i>	37
<i>B.1.4. Standardization procedure for sampling</i>	38
<i>B.1.5. Standardization procedure for the SCT measuring device</i>	39
B.1.5.1. Introduction	39
B.1.5.2. Scope	39
B.1.5.3. Normative references.....	39
B.1.5.4. Definition.....	40
B.1.5.5. Principle.....	40
B.1.5.6. Apparatus.....	40
B.1.5.7. Electromechanical opener and accessories	41
B.1.5.8. Accessories	41
B.1.5.9. Atmosphere for conditioning and testing.....	41
B.1.5.10. Preparation of test specimens	42
B.1.5.11. Procedure.....	42
B.1.5.12. Test report	43
B.1.5.13. ANNEX A (informative).....	43
<i>B.1.6. Standardization procedure for the H2SD measuring device</i>	45
B.1.6.1. Introduction	45
B.1.6.2. Scope	45
B.1.6.3. Normative references.....	45
B.1.6.4. Definitions	45
B.1.6.5. Apparatus.....	46
B.1.6.6. Atmosphere for conditioning and testing.....	47
B.1.6.7. Preparation of test specimens	47
B.1.6.8. Procedure.....	47
B.1.6.9. Calculation and expression of the results.....	47
B.1.6.10. Test report	48
B.1.6.11. Annex (normative): Checking	48
B.1.6.12. Annex B (informative): Statistical information	48
B.2. DISCUSSION – CONCLUSION	49
B.3. EXPERIMENT ON 5% OF SUDANESE PRODUCTION USING THE SCT.....	50
<i>B.3.1. Objective</i>	50
<i>B.3.2. Introduction</i>	50
<i>B.3.3. Material and method</i>	50
<i>B.3.4. Results and discussion</i>	50
<i>B.3.5. Conclusion</i>	51
B.4. TESTING AND EVALUATION OF METHODS FOR ESTABLISHING THE DEGREE OF STICKINESS IN COTTONS. STICKINESS SAMPLING METHODS IN COTTON BALES: APPLICATION TO THE COMMERCIAL CLASSIFICATION OF SUDANESE COTTON PRODUCTION USING SCT	56
<i>B.4.1. Introduction</i>	56
<i>B.4.2. Materials and methods</i>	56
<i>B.4.3. Results</i>	58
B.5. STICKINESS VARIABILITY AND FEASIBILITY OF A COMMERCIAL CLASSIFICATION USING H2SD.....	67
<i>B.5.1. Objective</i>	67
<i>B.5.2. Materials and methods</i>	67
<i>B.5.3. Results and discussion</i>	67
B.5.3.1. Within-bale distribution of stickiness	67
<i>B.5.4. Litigation risk in qualitative classification: definition and control method</i>	67

B.6.	COMPLEMENTARY EXPERIMENT: EXTRA EXPERIMENTATION WITH 7680 SAMPLES TAKEN IN THE WHOLE COUNTRY.....	74
B.6.1.	<i>Objective:</i>	74
B.6.2.	<i>Material and method:</i>	74
B.6.3.	<i>Results and discussion:</i>	75
B.6.4.	<i>Conclusion</i>	76
B.7.	THE EXTENT AND VARIABILITY OF STICKINESS IN THE SUDANESE 1998 CROP USING SCT AND H2SD DEVICES.....	83
B.7.1.	<i>Objective</i>	83
B.7.2.	<i>Materials and methods</i>	83
B.7.3.	<i>Results</i>	83
B.7.3.1.	Frequency distribution of the counts.....	83
B.7.3.2.	Variability between measurements in a same bloc.....	84
B.7.3.3.	Relationship between SCT and H2SD measurements.....	85
B.7.3.4.	Contamination from sample to sample on H2SD.....	85
B.7.4.	<i>Discussion:</i>	86
B.7.5.	<i>Conclusion: Practical recommendations for cotton classification</i>	86
B.8.	GENERAL CONCLUSIONS FOR COMPONENT A.....	97
CHAPTER C.COMPONENT B: DEVELOPMENT OF A THRESHOLD FOR THE ECONOMICAL PROCESSING OF STICKY COTTON.....		103
C.1.	CARDED SPINNING OF STICKY COTTON: EFFECT OF STICKINESS ON PRODUCTIVITY AND YARN QUALITY 106	
C.1.1.	<i>Introduction</i>	106
C.1.2.	<i>Materials and Methods</i>	106
C.1.2.1.	Materials.....	106
C.1.2.2.	Fiber quality determination.....	108
C.1.2.3.	Conditions and operating procedure.....	110
C.1.3.	<i>Results and Discussion: effect on productivity</i>	118
C.1.3.1.	Choice of the best predictor of stickiness problem during spinning.....	118
C.1.3.2.	Relations between SCT, H2SD and HPLC results.....	118
C.1.3.3.	What is the best indicator?.....	121
C.1.3.4.	Contribution of sticky point sizes in the expression of stickiness during spinning.....	125
C.1.3.5.	Results and discussion.....	126
C.1.3.6.	Card.....	126
C.1.3.7.	Drawing frame.....	127
C.1.3.8.	Roving frame.....	127
C.1.3.9.	Ring spinning frame.....	128
C.1.3.10.	Open-End rotor spinning frame.....	128
C.1.4.	<i>Conditions and operating methods to study the effect of stickiness on yarn quality</i>	129
C.1.4.1.	Results and Discussion: effect on quality.....	130
C.1.5.	<i>Effects of stickiness on CLASSIMAT® defects</i>	134
C.1.6.	<i>Conclusions</i>	136
C.1.6.1.	Effect on productivity.....	136
C.1.6.2.	Effect on quality.....	136
C.2.	SPECIFIC EXPERIMENT AT LOW RELATIVE HUMIDITY IN ITF.....	138
C.2.1.	<i>Objective</i>	138
C.2.2.	<i>Materials and methods</i>	138
C.2.3.	<i>Results</i>	138
C.2.3.1.	Effect at the card level.....	138
C.2.3.2.	Effect at the drawing frame level.....	139
C.2.3.3.	Effect at the flyer level.....	139
C.2.3.4.	Effect on the ring spinning frame.....	140
C.2.3.5.	Conclusion.....	140
C.3.	STICKINESS EFFECTS ON THE COMBING PROCESS.....	157
C.3.1.	<i>Objective</i>	157
C.3.2.	<i>Materials and methods</i>	157
C.3.2.1.	Steps in the test.....	157
C.3.2.2.	Hygrometric conditions.....	158
C.3.2.3.	Sampling, problem records and planned analysis.....	159

C.3.3.	<i>Results and discussion</i>	159
C.3.3.1.	Changes in stickiness in the course of the process.....	159
C.3.3.2.	At the card level.....	160
C.3.3.3.	First draft, drawing frame.....	160
C.3.3.4.	Sliver lap machine.....	160
C.3.3.5.	Combing machine.....	161
C.3.3.6.	Drawing frame: 2nd draft.....	162
C.3.3.7.	At the flyer level.....	162
C.3.3.8.	Ring spinning frame.....	162
C.3.4.	<i>Conclusion for the combing process</i>	163
C.4.	PROPERTIES OF H2SD MEASUREMENTS: PROPORTIONALITY BETWEEN PERCENTAGE OF STICKY COTTON AND H2SD RESULTS, DRIFT OVER TIME AND INDEPENDENCE OF SUCCESSIVE MEASUREMENTS.....	164
C.4.1.	<i>Objective</i>	164
C.4.2.	<i>Materials and methods</i>	164
C.4.3.	<i>Results and discussion</i>	164
C.4.3.1.	Relationship between mean and variance.....	164
C.4.3.2.	Test for drift over time.....	165
C.4.3.3.	Test on the contamination effect.....	165
C.4.3.4.	Proportionality between the proportion of sticky cotton and stickiness measured by H2SD.....	165
C.4.4.	<i>Conclusion</i>	166
C.5.	EFFECTS OF RELATIVE HUMIDITY ON THE SPINNING PROCESS AND YARN QUALITY.....	177
C.5.1.	<i>Objective</i>	177
C.5.2.	<i>Materials and methods</i>	177
C.5.2.1.	General micro-spinning steps.....	177
C.5.2.2.	Yarn quality characterization.....	179
C.5.3.	<i>Results and discussion</i>	180
C.5.3.1.	Effect on the spinning process.....	180
C.5.3.2.	Effect on yarn quality.....	181
C.5.4.	<i>Conclusion</i>	185
C.6.	GENERAL CONCLUSION FOR COMPONENT B.....	205
CHAPTER D.COMPONENT C: EVALUATION OF THE FINANCIAL VIABILITY OF THE PROCESS, TRAINING, DISSEMINATION OF PROJECT RESULTS THROUGH PRESENTATIONS, PUBLICATIONS AND TECHNOLOGY TRANSFER.....		211
D.1.	ECONOMIC VIABILITY OF QUALITATIVELY GRADING COTTON BALES FOR STICKINESS MEASURED BY H2SD.....	213
D.1.1.	<i>Current situation in Sudan</i>	213
D.1.2.	<i>Estimating the cost of H2SD grading in Sudan</i>	214
D.1.3.	<i>H2SD grading conditions</i>	214
D.1.4.	<i>Number of H2SD machines</i>	214
D.1.5.	<i>Reference cottons (standard cottons)</i>	214
D.1.6.	<i>Consumption of aluminum foil</i>	215
D.1.7.	<i>Workforce</i>	215
D.1.8.	<i>Cost-effectiveness of grading</i>	216
D.2.	NUMERICAL APPLICATION.....	217
D.3.	CONCLUSION.....	219
D.4.	DISSEMINATION OF THE FINDINGS.....	220
D.4.1.	<i>Publications</i>	220
D.4.2.	<i>Presentations</i>	220
D.4.3.	<i>Posters</i>	220
D.4.4.	<i>Seminars</i>	220
D.4.5.	<i>Other information</i>	221
CHAPTER E. FINAL CONCLUSION.....		223
E.1.	QUALITATIVE CLASSIFICATION OF STICKINESS.....	223
E.2.	STICKINESS MEASUREMENT AND RELATIONSHIP WITH TECHNICAL HITCHES DURING SPINNING.....	225
E.3.	FINANCIAL VIABILITY OF A CLASSIFICATION.....	226
E.4.	SOLUTIONS TO REDUCE THE CONSEQUENCES OF STICKINESS.....	227
E.5.	PERSPECTIVES.....	227

CHAPTER F REVIEW OF THE EXPERIMENTAL APPROACHES	228
F.1. GENERAL.....	228
F.2. COMPONENT A	229
F.3. COMPONENT B	229
F.4. COMPONENT C	230
CHAPTER G. REFERENCES	232
ABBREVIATIONS AND ACRONYMS	242